

Cloud9 PDC SDK Guide

Revision History

Revision	Date	Change description
4.11	12/29/2018	Update EMV sale response Add receipt sample
4.10	12/27/2018	Update the default tip amount to 15,18,20. Update check duplicate description. Add receipt feature.
4.9	10/13/2018	Remove SOAP specification
4.8	10/12/2018	Add RequestTipAmount and TipAmountRate description and sample Add a new TransType: "UploadFile"
4.7	09/27/2018	Remove SOAP
4.6	08/10/2018	Add ACH-Echeck
4.5	05/21/2018	Add BatchQuery, BatchLookup
4.4	04/19/2018	Add Cancel transaction type. Add CheckDuplicate description. Change CCVResultCode to CVVResultCode Add ErrorCode: 182, 202, 203
4.3	04/16/2018	Update signature description.
4.2	04/09/2018	Add EMV transaction sample request.
4.1	04/02/2018	Add signature description.
4.0	03/23/2018	Add VerifyCard in Action Group.
3.9	03/07/2018	Add EMV Custom Control Pin pad.
3.8	03/06/2018	Add description in Data Groups.
3.7	02/24/2018	Remove spaces from Application Label
3.6	02/23/2018	Add EMV response info
3.5	01/29/2018	Add ErrorCode
3.4	01/23/2018	Add ResetMessage. Add RebootDevice.
3.3	01/22/2018	Add ErrorCode 179.
3.2	01/19/2018	Update IOS SDK.
3.1	01/18/2018	Add IOS SDK. Add CreditOnFailure.
3.0	01/03/2018	Add Offline-Register sample. Update ErrorCode.
2.9	12/26/2017	Update UploadMessage ErrorCode. Update Unregister description.
2.8	12/20/2017	Add UploadMessage description.
2.7	12/19/2017	Add Adjust, UploadMessage, UploadImage, SetImageList
2.6	12/18/2017	Add Reverse description and sample.
2.5	12/08/2017	Add Unregister description and sample. Update ErrorCode
2.4	12/07/2017	Add Pinpad messages API description and sample: AskNumberQuestion, AskSelectionQuestion, ShowMessage. Add DeviceStatus: BUSY. Update ErrorCode.
2.3	12/01/2017	Update SN description.
2.2	11/30/2017	Update ErrorCode, SN description. Add Register error

		code, Duplicate transaction error code, Register logic description.
2.1	11/29/2017	Update EBT card type. Add Register error code.
2.0	11/17/2017	Update Register, GetStatus Description and Sample
1.9	11/10/2017	Add Terminal Register Sample
1.8	11/01/2017	Add Verify, GMPW
1.7	10/23/2017	Add CreateCardToken.
1.6	10/16/2017	Add UpdateCardTokenInfo, DeleteCardToken, ErrorCode.
1.5	09/29/2017	Add CardHolder and ExpDate.
1.4	09/11/2017	Add CardToken parameter.
1.3	08/28/2017	Add Json message sample
1.2	05/04/2015	Modify the Amount that calculated by the lowest denomination value of currency and add a new element, AdditionalInfo, used in the future.
1.1	09/26/2014	Modify Some Groups and add some new Response Information
1.0	07/24/2014	Initial Draft

Table of Contents

1. OVERVIEW	1
2. TRANSACTION TYPE	1
2.1 SALE	1
2.2 AUTH	1
2.3 INQUIRY	1
2.4 REFUND	1
2.5 FINALIZE	1
2.6 ADDTIP	1
2.7 MODIFY	1
2.8 ADJUST	1
2.9 VOID	1
2.10 REVERSE	2
2.11 CANCEL	2
2.12 BATCH	2
2.13 BATCHLOOKUP	2
2.14 BATCHQUERY	2
2.15 UPDATECARDTOKENINFO	2
2.16 DELETECARDTOKEN	2
2.17 CREATECARDTOKEN	2
2.18 VERIFY	2
2.19 REGISTER	2
2.20 UNREGISTER	2
2.21 GETSTATUS	2
2.22 ASKNUMBERQUESTION	2
2.23 ASKSELECTIONQUESTION	3
2.24 SHOWMESSAGE	3
2.25 UPLOADIMAGE	3
2.26 SETIMAGELIST	3
2.27 UPLOADMESSAGE	3
2.28 RESETMESSAGE	3
2.29 REBOOTDEVICE	3
2.30 ACH-ECHECK	3
2.31 UPLOADFILE	3
2.32 REQUESTTIPAMOUNT	4
2.33 TIPAMOUNTRATE	4
3. INFORMATION OVERVIEW	4
3.1 AMOUNT	4
3.2 PARTIAL AUTHORIZATION	4
3.3 RECEIPT	4
4. JSON DATA GROUPS	4
4.1 CONFIGURE GROUP	4
4.2 REQUEST AMOUNT GROUP	5
4.3 ACTION GROUP	5
4.4 REQUEST EXTEND INFO. GROUP	6
4.5 TRACE GROUP	6
4.6 REQUEST CARD INFO. GROUP	7

4.7	REQUEST TERMINAL INFO. GROUP	8
4.8	EMV CUSTOM CONTROL PIN PAD	9
4.9	ENCRYPTION DATA GROUP.....	10
4.10	PIN GROUP.....	10
4.11	RESULT GROUP	11
4.12	RESPONSE AMOUNT GROUP.....	11
4.13	RESPONSE CARD INFO.	11
4.14	RESPONSE TERMINAL INFO.	11
4.15	RESPONSE EMV INFO.	12
5.	JSON MESSAGE SAMPLE	12
5.1	SALE	12
5.1.1	<i>Sale Request</i>	12
5.1.2	<i>Sale Response</i>	12
5.2	OFFLINE-SALE	13
5.2.1	<i>Offline-Sale Request</i>	13
5.2.2	<i>Offline-Sale Response</i>	13
5.3	SALE (CARD INFO. FROM POS)	14
5.3.1	<i>Sale Request with AccountNum</i>	14
5.3.2	<i>Sale Response with AccountNum</i>	14
5.3.3	<i>Sale Request with TrackData</i>	15
5.3.4	<i>Sale Response with TrackData</i>	15
5.4	SALE (CARD TOKEN).....	16
5.4.1	<i>Sale Request</i>	16
5.4.2	<i>Sale Response</i>	16
5.5	AUTH	17
5.5.1	<i>Auth Request</i>	17
5.5.2	<i>Auth Response</i>	17
5.6	INQUIRY.....	18
5.6.1	<i>Inquiry Request</i>	18
5.6.2	<i>Inquiry Response</i>	18
5.7	REFUND.....	19
5.7.1	<i>Refund Request</i>	19
5.7.2	<i>Refund Response</i>	19
5.8	FINALIZE	20
5.8.1	<i>Finalize Request</i>	20
5.8.2	<i>Finalize Response</i>	20
5.9	ADDTIP	21
5.9.1	<i>AddTip Request</i>	21
5.9.2	<i>AddTip Response</i>	21
5.10	VOID.....	22
5.10.1	<i>Void Request</i>	22
5.10.2	<i>Void Response</i>	22
5.11	MODIFY.....	23
5.11.1	<i>Modify Request</i>	23
5.11.2	<i>Modify Response</i>	23
5.12	BATCH.....	24
5.12.1	<i>Batch Request</i>	24
5.12.2	<i>Batch Response</i>	24
5.13	REQUEST CARD TOKEN	24
5.13.1	<i>CardToken Request</i>	25
5.13.2	<i>CardToken Response</i>	25
5.14	UPDATE CARD TOKEN.....	25

5.14.1	Update CardToken Request	25
5.14.2	Update CardToken Response	26
5.15	DELETE CARD TOKEN	26
5.15.1	Delete CardToken Request	26
5.15.2	Delete CardToken Response	26
5.16	CREATE CARD TOKEN	27
5.16.1	Create CardToken Request	27
5.16.2	Create CardToken Response	27
5.17	VERIFY.....	28
5.17.1	Verify Request.....	28
5.17.2	Verify Response.....	28
5.18	REGISTER	29
5.18.1	Register Request with GTID	29
5.18.2	Register Response with GTID	29
5.18.3	Register Request without GTID.....	30
5.18.4	Register Response without GTID.....	30
5.19	OFFLINE-REGISTER.....	31
5.19.1	Offline-Register Request	31
5.19.2	Offline-Register Response	31
5.20	UNREGISTER	31
5.20.1	Unregister Request	31
5.20.2	Unregister Response	31
5.21	GETSTATUS	32
5.21.1	GetStatus Request	32
5.21.2	GetStatus Response	32
5.22	ASKNUMBERQUESTION	32
5.22.1	AskNumberQuestion Request	32
5.22.2	AskNumberQuestion Response.....	33
5.23	ASKSELECTIONQUESTION	33
5.23.1	AskSelectionQuestion Request.....	33
5.23.2	AskSelectionQuestion Response	33
5.24	SHOWMESSAGE.....	34
5.24.1	ShowMessage Request	34
5.24.2	ShowMessage Response	34
5.25	REVERSE	35
5.25.1	Reverse Request.....	35
5.25.2	Reverse Response.....	35
5.26	UPLOADIMAGE	35
5.26.1	UploadImage Request	35
5.26.2	UploadImage Response	36
5.27	SETIMAGELIST	36
5.27.1	SetImageList Request.....	36
5.27.2	SetImageList Response	36
5.28	UPLOADMESSAGE	37
5.28.1	UploadMessage Request	37
5.28.2	UploadMessage Response	37
5.29	RESETMESSAGE	38
5.29.1	ResetMessage Request	38
5.29.2	ResetMessage Response.....	38
5.30	REBOOTDEVICE	38
5.30.1	RebootDevice Request	38
5.30.2	RebootDevice Response.....	38
5.31	ADJUST.....	39

5.31.1	<i>Adjust Request</i>	39
5.31.2	<i>Adjust Response</i>	39
5.32	CANCEL	40
5.32.1	<i>Cancel Request</i>	40
5.32.2	<i>Cancel Response</i>	40
5.33	SALE WITH EMV DATA	41
5.33.1	<i>Sale Request</i>	41
5.33.2	<i>Sale Response</i>	42
5.34	BATCHLOOKUP	43
5.34.1	<i>BatchLookup Request</i>	43
5.34.2	<i>BatchLookup Response</i>	43
5.35	BATCHQUERY	44
5.35.1	<i>BatchQuery Request</i>	44
5.35.2	<i>BatchQuery Response</i>	44
5.36	ACH-ECHECK	45
5.36.1	<i>ACH-Echeck Request</i>	45
5.36.2	<i>ACH-Echeck Response</i>	46
5.37	PINPAD INPUT TIP AMOUNT	47
5.37.1	<i>Request without flag "TipAmountRate"</i>	47
5.37.2	<i>Response</i>	48
5.37.3	<i>Request with flag "TipAmountRate"</i>	49
5.37.4	<i>Response</i>	50
5.38	UPLOADFILE	51
5.38.1	<i>Request</i>	51
5.38.2	<i>Response</i>	52
5.39	RECEIPT REQUEST	52
5.39.1	<i>MSR Receipt</i>	52
5.39.2	<i>EMV Receipt</i>	54
6.	IOS SDK	57
6.1	INITWITHDELEGATE	58
6.2	POSTTRANSACTIONTOURL	58
6.3	SETPROPERTIES	58
7.	APPENDICES	58
7.1	CLOUD9 SERVER	58
7.2	STATUS CODE	59
7.3	ERROR CODE	59
7.4	DEVICE CODE	62
7.5	SIGNATURE (ONLY SUPPORT LOCAL PDC)	62
7.6	GLOSSARY	63

1. Overview

Cloud9 Payment Gateway provides a simple method of processing payment transactions for merchants who want to integrate payment processing with their existing applications. The Cloud9 Payment Gateway processes credit card, debit card and Electronic Benefits Transfer (EBT) transactions. Transactions are accepted from various industries including: retail, restaurant, mail order/telephone order, lodging, and E-comm.

This document describes how to write your own application for processing payment transactions or integrate payment processing capabilities into an existing application.

2. Transaction Type

2.1 Sale

A **Sale** transaction authorizes a sale purchased. This action decreases the cardholder's limit to buy. It authorizes a transfer of funds from the cardholder's account to merchant's account.

2.2 Auth

An **Auth** transaction places a temporary hold on the customer's account. Approvals on authorizations are used later to transfer funds by Finalize or AddTip.

2.3 Inquiry

An **Inquiry** transaction is used to query the balance amount of a card.

2.4 Refund

A **Refund** transaction is used to authorize a refund to a customer's credit card account.

2.5 Finalize

A **Finalize** transaction is used to change an Auth transaction to sale transaction.

2.6 AddTip

An **AddTip** transaction is used to add an additional amount to an original transaction, Auth or Sale. If the original transaction is Auth, this operation transfers the Auth to Sale.

2.7 Modify

A **Modify** transaction is used to alter the transaction amount of an original transaction, Auth or Sale.

2.8 Adjust

A **Adjust** transaction is used to alter the transaction amount of an original transaction whether or not it has been settled, Auth or Sale.

2.9 Void

A **Void** transaction is used to cancel an authorized transaction before it has been settled.

2.10 Reverse

A **Reverse** transaction is used to cancel an authorized transaction whether or not it has been settled.

2.11 Cancel

A **Cancel** transaction is used to cancel an authorized transaction which contains same invoice number and total amount.

2.12 Batch

A **Batch** transaction is used to close the current open batch and settle it. It is supported by terminal capture only .For host capture, merchant don't need submit batch request.

2.13 BatchLookup

A **BatchLookup** transaction is used to query batch id by batch date.

2.14 BatchQuery

A **BatchQuery** transaction is used to query transaction list by batch id.

2.15 UpdateCardTokenInfo

A **UpdateCardTokenInfo** transaction is used to update card token information. It supports update ExpDate, CustomerAddress, CustomerZipCode.

2.16 DeleteCardToken

A **DeleteCardToken** transaction is used to delete exist card token.

2.17 CreateCardToken

A **CreateCardToken** transaction is used to create card token.

2.18 Verify

A **Verify** transaction is used to judge the card is valid.

2.19 Register

A **Register** transaction is used to associate Pin pad's serial number with GMID/GTID. This transaction only supported in the EMV, QuickChip endpoint.

2.20 Unregister

A **Unregister** transaction is used to unlink Pin pad's serial number from GMID/GTID and de-activate GMID/GTID. This transaction only supported in the EMV, QuickChip endpoint.

2.21 GetStatus

A **GetStatus** transaction is used to judge whether Pin pad is available. This transaction only supported in the EMV, QuickChip endpoint

2.22 AskNumberQuestion

A **AskNumberQuestion** transaction is used to get user input on the Pin pad. This transaction only supported in the EMV, QuickChip endpoint

2.23 AskSelectionQuestion

A **AskSelectionQuestion** transaction is used to get user selection results on the Pin pad. This transaction only supported in the EMV, QuickChip endpoint

2.24 ShowMessage

A **ShowMessage** transaction is used to display message on the Pin pad. This transaction only supported in the EMV, QuickChip endpoint

2.25 UploadImage

A **UploadImage** transaction is used to upload image to the Pin pad. This transaction only supported in the EMV, QuickChip endpoint

2.26 SetImageList

A **SetImageList** transaction is used to set up the index of images that need to be displayed on the Pin pad. This transaction only supported in the EMV, QuickChip endpoint

2.27 UploadMessage

A **UploadMessage** transaction is used to permanently replace built-in message in Pin pad. Even if restart the Pin pad. A reboot is required following UploadMessage. This transaction only supported in the EMV, QuickChip endpoint

2.28 ResetMessage

A **ResetMessage** transaction is used to restore built-in message in Pin pad. A reboot is required following **ResetMessage**. This transaction only supported in the EMV, QuickChip endpoint

2.29 RebootDevice

A **RebootDevice** transaction is used to restart Pin pad. This transaction only supported in the EMV, QuickChip endpoint

2.30 ACH-Echeck

A **ACH-Echeck** transaction is used to make it easier for customers to pay you. This transaction only supported in Elavon processor

2.31 UploadFile

A **UploadFile** transaction is used to upload the configuration files to the pin pad, preparing for entering tip value by pinpad. After uploading successfully, you'd better to restart the pinpad. The configuration of file named "CUSTPROMPT.PGZ", it had been existed on our server. You can send the request message with your GMID,GTID and upload it

2.32 RequestTipAmount

A **RequestTipAmount** flag is used to perform entering tip value by pinpad. When sending a swipe card request with the value of “Y” to the server, Server will call your PinPad, when the PinPad received the request, it displayed four options to choose. For instance 10%, 15%, 20%, other

2.33 TipAmountRate

The “TipAmountRate” flag is used to set the tip value by your requirements. The default value of "TipAmountRate" is "15,18,20", and it meant that the tip value is 15% ,18%, 20% of the main amount.

3. Information Overview

3.1 Amount

The Amount is calculated by the lowest denomination value of currency. For U.S./National applications, the lowest currency value is pennies and a transaction for one dollar is 100 pennies.

3.2 Partial authorization

The AllowsPartialAuth must be “Y” if the terminals support partial authorization. The Partial authorization can't be differentiated by the status field. The terminals must check AuthAmt when partial authorization is enabled. If the AuthAmt is less than the amount you submit, the transaction is a partial authorization.

3.3 Receipt

Receipt feature need to set “NeedReceipt” flag with “Y” in the swipe request, “DeviceResultCode” and “DeviceResultText” will return in the response to indicate the result. Both Cloud9PDC and Desktop PDC support the feature. Currently, IWL250 and IWL258 support this feature. For "DeviceResultCode" values, please refer to Appendices - Device Code.

4. JSON Data Groups

This chapter provides detailed information for data groups of JSON message. A data group consists of multiple fields.

4.1 Configure Group

NOTE: This subgroup is used for all transactions.

Field Name	Data Type	Usage	Description
GMID	String	Required	Merchant identifier Assigned by Cloud9 Payment Systems Administrator during registration
GTID	String	Required	Merchant's terminal identifier Assigned by Cloud9 Payment Systems Administrator during registration This field is Optional when doing Register.

GMPW	String	Required	Merchant password Only verified for Refund transactions. It can be any value for other transactions.
AllowsPartialAuth	String	Optional	Indicates whether partial authorization is allowed Valid values = Y or N Default is "N"

4.2 Request Amount Group

NOTE: This subgroup is only used for Auth/Sale/Refund/Addtip transactions.

Field Name	Data Type	Usage	Description
MainAmt	Unsigned Int	Optional	Primary charge amount Total digits = 12
TipAmt	Unsigned Int	Optional	Tip amount that is in addition to the main amount. Total digits = 12
IncTaxAmt	Unsigned Int	Optional	Tax amount that is included in the main amount. Total digits = 12
IncCashBackAmt	Unsigned Int	Optional	Cash back amount that is included in the main amount Total digits = 12
TaxIndicator	String	Optional	Additional Information about TaxAmt Valid values: "Ntprvd" = Not provided "NonTax" = Non-taxable "Prvded" = Provided Default is "Prvded"

4.3 Action Group

NOTE: This subgroup is used for all transactions.

Field Name	Data Type	Usage	Description
TransType	String	Required	Transaction Type Valid values include: Auth Sale Finalize Addtip Void Reverse Refund Inquiry Modify Batch UpdateCardTokenInfo (available in JSON request) DeleteCardToken (available in JSON request) CreateCardToken (available in JSON request) Verify Register Unregister GetStatus AskNumberQuestion AskSelectionQuestion ShowMessage ResetMessage RebootDevice
IsOffline	String	Optional	Indicates whether is an offline transaction Valid values = Y or N Default is "N"
CreditOnFailure	String	Optional	Indicates whether do force void transaction. Valid values = Y or N Default is "N"
VerifyCard	String	Optional	Indicates whether verify card when doing

			CreateCardToken. Valid values = Y or N Default is "Y"
CheckDuplicate	String	Optional	Indicates whether to check for duplicate transactions. Duplicate check interval: 5 minutes Valid values = Y or N Default is "N" Note: 1. you need supply this field in all the request to enable this feature. 2. For TSYS processor when the request doesn't contain this flag, but if the InvoiceNum is not empty, then we will check duplicate as well.

4.4 Request Extend Info. Group

Field Name	Data Type	Usage	Description
InvoiceNum	String	Optional	Invoice Number
OrderNum	String	Optional	Order Number Only used for purchase card
AuthCode	String	Optional	Offline auth code Only used for offline transaction
VoucherNum	String	Optional	Voucher serial number Only used for offline EBT transaction
AdditionalInfo	String	Optional	Reserved for future use. Data is delimited by a FS (0x1c) and is formatted as follows: Key=Value0x1cKey=Value0x1cKey=Value ...
RequestTipAmount	String	Required	Indicates whether to add tip amount Valid values = Y or N Default is "N"
TipAmountRate	String	Optional	Specify the percentage of the original amount, the default value is "15,18,20" The format is "xx,xx,xx"
FileName	String	Required	Type into the name of pin pad configuration file that upload to the pin pad
NeedReceipt	String	Optional	Indicates whether print receipt Valid values: "Y" or "N" Default is "N"

4.5 Trace Group

NOTE: This subgroup is used for all transactions.

Field Name	Data Type	Usage	Description
SourceTraceNum	String	Optional	Source Trace number Provided by the merchant and it uniquely identifies a transaction.
GTRC	String	Optional	Gateway trace It is a unique trace number assigned to a transaction by Cloud9 payment and returned in the response message. The POS must submit

			it back for Void/Addtip/Finalize etc based previous transactions.
--	--	--	-------------------------------------------------------------------

4.6 Request Card Info. Group

NOTE: This subgroup is only used when card info is from POS, not PDC.
And the item, NeedSwipCard, must be "N".

Field Name	Data Type	Usage	Description
Medium	String	Optional	Card Type. Must be present when card info is from POS. Valid values include: Credit/ Debit /EBTFood/EBTCash/Prepaid/Gift/ ElectronicCheck
AccountNum	String	Optional	Card number. Maximum length = 22. Must be present when card info is from POS and encrypted. If this field and ExpDate are set in the request, it does not need to provide Track1, Track2, CardToken. And EntryMode needs to be set to Manual.
ExpDate	String	Optional	Card expiration Date MMY. Must be present when card info is from POS and encrypted.
EntryMode	String	Optional	Entry Mode. Must be present when NeedSwipCard is "N". Valid values include: Swipe/ Manual/ Proximity/ ChipContact/ ChipContactless/ EMVFallback2Swip
CVVNum	String	Optional	Card verification code on the card Maximum length = 6
Track1	String	Optional	full magnetic Track I data read from the card by a card reader. If this field is set in the request, it does not need to provide AccountNum, ExpDate, Track2, CardToken. And EntryMode needs to be set to Swipe.
Track2	String	Optional	full magnetic Track II data read from the card by a card reader. If this field is set in the request, it does not need to provide AccountNum, ExpDate, Track1, CardToken. And EntryMode needs to be set to Swipe.
PinData	PINGrp	Optional	Must be present when Pin is passed
EncryptionData	Encryption DataGrp	Optional	Must be present when account number is encryptrd
CardPresent	String	Optional	Indicates whether is card is present Valid values = Y or N.Default is "Y"
CommercialCard	String	Optional	Indicates whether card is a Commercial Card. Valid values = Y or N. Default is "Y"
CardToken	String	Optional	It can replace AccountNum and ExpDate. Only support in json request. If this field is set in the request, it does not need to provide AccountNum, ExpDate,

			Track1, Track2. And EntryMode needs to be set to Manual.
RequestCardToken	String	Optional	Indicates whether server return CardToken Valid values = Y or N. Default is "N". Only support in json request.
CustomerName	String	Optional	Cardholder's name.
CustomerZipCode	String	Optional	Cardholder's billing zip code.
CustomerAddress	String	Optional	Cardholder's billing address.

4.7 Request Terminal Info. Group

Field Name	Data Type	Usage	Description
SN	String	Optional	Pin pad's serial number. Used in Register, Unregister request. Valid values: Full serial number: 14281PP81035776 Last 8 digit of serial number: 81035776
MessageIndex	String	Optional	Index of question display on the pin pad. Used in AskNumberQuestion Valid values: 001: Please enter your home phone number 002: Please enter your 10-digit HOME phone number 003: Please enter your date of birth 004: Please Enter ZIP Code 010: Enter Card Number 011: Enter Expiration Date 012: Enter CVV or CID from card Used in UploadMessage Valid value: 1001: replace built-in message "Lane Closed"
MessageText	String	Optional	Text to be displayed on pin pad. Used in AskSelectionQuestion, ShowMessage. UploadMessage Maximum length = 30
ImageData	String	Optional	Base64 encode image
ImageLength	String	Optional	The length of image data
ImageID	String	Optional	The ID index of image. Valid values: 001 002 003 004 005 006 007 008 009 010 012 013
ImageList	String	Optional	The ID list of image that needs to be displayed on the PinPad Valid values: 001 002 003 004 005 006 007 008 009 010 012 013
NeedSignature	String	Optional	Only supported in Local PDC. Indicate whether Local PDC return signature data in response message.

			Valid value: Y or N. Default value: Y
--	--	--	------------------------------------------

4.8 EMV Custom Control Pin pad

EMV Tag	Data Transmitted	Format
EMV42	Issuer Identification Number.	Hex-ASCII
EMV4F	Application Identifier (AID).	Hex-ASCII
EMV50	Application Label.	Hex-ASCII
EMV57	Track 2 Equivalent Data.	Hex-ASCII
EMV5A	Primary Account Number.	Hex-ASCII
EMV71	Issuer script template 1.	Hex-ASCII
EMV72	Issuer script template 2.	Hex-ASCII
EMV82	Application Interchange Profile.	Hex-ASCII
EMV84	Dedicated File (DF) Name.	Hex-ASCII
EMV87	Application Priority Indicator	Hex-ASCII
EMV8A	Authorization Response Code.	Hex-ASCII
EMV8E	Card Holder Verification Method (CVM) List.	Hex-ASCII
EMV91	Issuer Authentication Data.	Hex-ASCII
EMV95	Terminal Verification Results.	Hex-ASCII
EMV9A	Transaction Date.	Hex-ASCII
EMV9B	Transaction Status Information.	Hex-ASCII
EMV9C	Transaction Type.	Hex-ASCII
EMV5F20	Cardholder name.	Hex-ASCII
EMV5F24	Expiry Date.	Hex-ASCII
EMV5F28	Issuer Country Code, 3 digit numeric.	Hex-ASCII
EMV5F2A	Transaction Currency Code.	Hex-ASCII
EMV5F2D	Preferred languages.	Hex-ASCII
EMV5F30	Service Code.	Hex-ASCII
EMV5F34	Application PAN Sequence Number.	Hex-ASCII
EMV5F54	Bank Identifier Code (BIC).	Hex-ASCII
EMV5F55	Issuer Country Code, 2 digit alpha.	Hex-ASCII
EMV5F56	Issuer Country Code, 3 digit alpha.	Hex-ASCII
EMV9F02	Amount, Authorized (Numeric).	Hex-ASCII
EMV9F03	Amount, Other (Numeric).	Hex-ASCII
EMV9F06	Application ID Terminal.	Hex-ASCII
EMV9F07	Application Usage Control.	Hex-ASCII
EMV9F08	Application Version Number (ICC).	Hex-ASCII
EMV9F09	Application Version Number (Terminal).	Hex-ASCII
EMV9F0B	Cardholder Name Extended.	Hex-ASCII
EMV9F0D	Issuer Action Code Default.	Hex-ASCII
EMV9F0E	Issuer Action Code Denial.	Hex-ASCII
EMV9F0F	Issuer Action Code Online.	Hex-ASCII
EMV9F10	Issuer Application Data.	Hex-ASCII
EMV9F11	Issuer Code Table Index.	Hex-ASCII
EMV9F12	Application Preferred Name.	Hex-ASCII
EMV9F14	Lower Consecutive Offline Limit	Hex-ASCII
EMV9F17	PIN Try Count.	Hex-ASCII
EMV9F1A	Terminal Country Code.	Hex-ASCII
EMV9F1B	Terminal Floor Limit.	Hex-ASCII
EMV9F1E	Interface Device (IFD) Serial Number.	Hex-ASCII
EMV9F1F	Track 1 Discretionary Data	Hex-ASCII
EMV9F20	Track 2 Discretionary Data	Hex-ASCII
EMV9F21	Transaction Time.	Hex-ASCII

EMV9F26	Application Cryptogram (AC).	Hex-ASCII
EMV9F27	Cryptogram Information Data (CID).	Hex-ASCII
EMV9F33	Terminal Capabilities.	Hex-ASCII
EMV9F34*	Cardholder Verification method (CVM) Results.	Hex-ASCII
EMV9F35	Terminal Type.	Hex-ASCII
EMV9F36	Application Transaction Counter (ATC).	Hex-ASCII
EMV9F37	Unpredictable Number.	Hex-ASCII
EMV9F39	POS Entry Mode.	Hex-ASCII
EMV9F40	Additional Terminal Capabilities.	Hex-ASCII
EMV9F41	Transaction Sequence Counter.	Hex-ASCII
EMV9F42	Application Currency Code	Hex-ASCII
EMV9F51	Application Currency Code/DRDOL	Hex-ASCII
EMV9F53	Transaction Category Code (VISA only).	Hex-ASCII
EMV9F5B	Transaction Category Code (VISA only).	Hex-ASCII
EMV9F5D	Available Offline Spending Amount (AOSA).	Hex-ASCII
EMV9F66	Terminal Transaction Qualifiers (TTQ)	Hex-ASCII
EMV9F67	(Amex spec) - NATC (Track2) / MSD Offset.	Hex-ASCII
EMV9F6C	Card Transaction Qualifiers (CTQ).	Hex-ASCII
EMV9F6D	EMV Proprietary tag. See brand specifications for details per brand.	Hex-ASCII
EMV9F6E	Third Party Data.	Hex-ASCII
EMV9F71	Protected Data Envelope 2 & Mobile CVM Results	Hex-ASCII
EMV9F7C	Customer Exclusive Data (CED) & Merchant Custom Data.	Hex-ASCII
EMVDF03	Terminal Action Code Default.	Hex-ASCII
EMVDF04	Terminal Action Code Denial.	Hex-ASCII
EMVDF05	Terminal Action Code Online.	Hex-ASCII
EMVDF11	Issuer Script Results.	Hex-ASCII

4.9 Encryption Data Group

Field Name	Data Type	Usage	Description
KeyID	String	Optional	This is an identifier used to retrieve the private key, which is required for decryption.
EncrptTrgt	String	Optional	Indicates the type of data that is being encrypted. Valid Values = Track1, Track2 and PAN
EncrptBlock	String	Optional	Contains the track data or card number provided in an encrypted block. It should be present when card data is encrypted.

4.10 PIN Group

Field Name	Data Type	Usage	Description
PinBlock	String	Optional	Contains the Encrypted PIN Block for the Debit or EBT transaction being submitted
KSN	String	Optional	used to create the base PIN encryption key for DUKPT PIN Debit and EBT transactions. Mandatory for PIN Debit and EBT transactions.

4.11 Result Group

Field Name	Data Type	Usage	Description
AuthCode	String	Optional	Auth code is assigned by the association, issuing bank, or Debit/EBT network.
Status	String	Required	Indicates whether transaction success. Valid values include fail, success, timeout, cancel and invalidData.
ResponseCode	String	Required	The host response to a string number to indicate the status of the transaction.
ResponseText	String	Required	The host response to a message to describe the status of the transaction.
ErrorCode	String	Required	The host response to a string number to indicate the status of the transaction.
ErrorText	String	Required	The host response to a message to describe the status of the transaction.
AVSResultCode	String	Optional	If address verification is requested, address verification result code will be returned by the Issuer
CVVResultCode	String	Optional	If card verification was provided in the request, card verification result code will be provided by the Issuer
DeviceResultCode	String	Optional	Receipt return code
DeviceResultText	String	Optional	Receipt return text

4.12 Response Amount Group

Field Name	Data Type	Usage	Description
AuthAmt	Unsigned Int	Optional	Approval amount
BalanceAmt	Unsigned Int	Optional	If supplied from the Issuer, the available balance on the associated prepaid, EBT, or gift card

4.13 Response Card Info.

Field Name	Data Type	Usage	Description
Medium	String	Optional	Card Type. Valid values include: Credit/ Debit /EBTFood/EBT- Cash/Prepaid/Gift
Brand	String	Optional	Card brand Valid values include: Visa/Master/Discover/Amex /JCB/DinersClub
AccountNum	String	Optional	Card number Maximum length = 22
CardToken	String	Optional	Card token Set RequestCardToken in the request, server will return it.
ExpDate	String	Optional	Card expiration Date MMY.Y.

4.14 Response Terminal Info.

Field Name	Data Type	Usage	Description
SN	String	Optional	Pin pad's serial number. The last 8 digit of full serial number.
DeviceStatus	String	Optional	Pin pad status. Valid values ON/OFF/BUSY
SignatureData	String	Optional	Only supported in Local PDC. SignatureData encoding: Hex ASCII with 3-Byte ASCII Signature Format

4.15 Response EMV Info.

Please Note that not all cards return these information, depending on the card, we may only return some of them

Field Name	Data Type	Usage	Description
AID	String	Optional	Application Identifier
ARQC	String	Optional	Authorization Request Cryptogram
ApplicationLabel	String	Optional	Application Label
ATC	String	Optional	Application Transaction Counter
TSI	String	Optional	Transaction Status Information
EMV72	String	Optional	Issuer Script Template 2
EMV8A	String	Optional	Authorization Response Code
EMV91	String	Optional	Issuer Authentication Data

5. JSON Message Sample

5.1 Sale

5.1.1 Sale Request

```
{
  "GMID": "05",
  "GTID": "05",
  "GMPW": "123",
  "AllowsPartialAuth": "N",
  "MainAmt": "500",
  "TipAmt": "100",
  "InvoiceNum": "000004",
  "TransType": "Sale",
  "IsOffline": "N",
  "SourceTraceNum": "000004",
  "Medium": "Credit",
  "NeedSwipCard": "Y"
}
```

5.1.2 Sale Response

```
{
  "AccountNum": "401200*****0016",
  "AuthAmt": "600",
  "AuthCode": "37979A",
  "Brand": "Visa",
  "EntryMode": "Swipe",
  "GMID": "1001395732",
  "GMPW": "123",
  "GTID": "GT1001395735",
  "GTRC": "c98bbe85ff8942f5b787e33e7b1b54a3",
  "Medium": "Credit",
  "ResponseCode": "00",
  "ResponseText": "APPROVAL",
  "Status": "success"
}
```

5.2 Offline-Sale

5.2.1 Offline-Sale Request

```
{
  "GMID": "05",
  "GTID": "05",
  "GMPW": "123",
  "AllowsPartialAuth": "N",
  "MainAmt": "1000",
  "TipAmt": "200",
  "InvoiceNum": "000005",
  "AuthCode": "123456",
  "TransType": "Sale",
  "IsOffline": "Y",
  "SourceTraceNum": "000005",
  "Medium": "Credit",
  "NeedSwipCard": "Y"
}
```

5.2.2 Offline-Sale Response

```
{
  "AccountNum": "401200*****0016",
  "AuthAmt": "1200",
  "AuthCode": "123456",
  "Brand": "Visa",
  "EntryMode": "Swipe",
  "GMID": "1001395732",
  "GMPW": "123",
  "GTID": "GT1001395735",
  "GTRC": "21d3bc44239a498db5f2b8604c015e80",
  "Medium": "Credit",
  "ResponseCode": "0",
  "ResponseText": "Success",
  "Status": "success"
}
```

5.3 Sale (Card Info. From POS)

5.3.1 Sale Request with AccountNum

```
{
  "GMID": "05",
  "GTID": "05",
  "GMPW": "03",
  "TransType": "Sale",
  "Medium": "Credit",
  "AccountNum": "4788250000028291",
  "ExpDate": "1222",
  "MainAmt": "1001",
  "TipAmt": "212",
  "IncTaxAmt": "153",
  "EntryMode": "Manual",
  "NeedSwipeCard": "N"
}
```

5.3.2 Sale Response with AccountNum

```
{
  "AccountNum": "478825*****8291",
  "AuthAmt": "1213",
  "AuthCode": "TAS110",
  "Brand": "Visa",
  "ErrorCode": "000",
  "ErrorText": "APPROVAL TAS110 ",
  "ExpDate": "1222",
  "GMID": "05",
  "GMPW": "03",
  "GTID": "05",
  "GTRC": "1b9d6a04dab84eda9aacc051c1e10ac6",
  "Medium": "Credit",
  "ResponseCode": "00",
  "ResponseText": "APPROVAL TAS110 ",
  "Status": "success"
}
```

5.3.3 Sale Request with TrackData

```
{
  "GMID": "05",
  "GTID": "05",
  "GMPW": "03",
  "TransType": "Sale",
  "Medium": "Credit",
  "Track2": ";4788250000028291=22121015432112345678?",
  "MainAmt": "1001",
  "TipAmt": "212",
  "IncTaxAmt": "153",
  "EntryMode": "Swipe",
  "NeedSwipeCard": "N"
}
```

5.3.4 Sale Response with TrackData

```
{
  "AccountNum": "478825*****8291",
  "AuthAmt": "1213",
  "AuthCode": "TAS116",
  "Brand": "Visa",
  "ErrorCode": "000",
  "ErrorText": "APPROVAL TAS116 ",
  "ExpDate": "1222",
  "GMID": "05",
  "GMPW": "03",
  "GTID": "05",
  "GTRC": "bff1000f88a0415cbd9ae0c2239ed97d",
  "Medium": "Credit",
  "ResponseCode": "00",
  "ResponseText": "APPROVAL TAS116 ",
  "Status": "success"
}
```

5.4 Sale (Card Token)

5.4.1 Sale Request

```
{
  "GMID": "05",
  "GTID": "05",
  "GMPW": "03",
  "TransType": "Sale",
  "Medium": "Credit",
  "CardToken": "51904a0c96c14887a4044170229ee5c3",
  "MainAmt": "1001",
  "TipAmt": "212",
  "IncTaxAmt": "153",
  "EntryMode": "Manual",
  "NeedSwipeCard": "N"
}
```

5.4.2 Sale Response

```
{
  "AccountNum": "401200*****5439",
  "AuthAmt": "1213",
  "AuthCode": "TAS119",
  "Brand": "Visa",
  "CardToken": "51904a0c96c14887a4044170229ee5c3",
  "ErrorCode": "000",
  "ErrorText": "EXACT MATCH  ",
  "ExpDate": "1220",
  "GMID": "05",
  "GMPW": "03",
  "GTID": "05",
  "GTRC": "3bd7701791494201b325d6cd594b8df3",
  "Medium": "Credit",
  "ResponseCode": "00",
  "ResponseText": "EXACT MATCH  ",
  "Status": "success"
}
```

5.5 Auth

5.5.1 Auth Request

```
{
  "GMID": "05",
  "GTID": "05",
  "GMPW": "123",
  "AllowsPartialAuth": "N",
  "MainAmt": "500",
  "TransType": "Auth",
  "IsOffline": "N",
  "SourceTraceNum": "000002",
  "NeedSwipCard": "Y"
}
```

5.5.2 Auth Response


```
{
  "AccountNum": "401200*****0016",
  "AuthAmt": "500",
  "AuthCode": "37986A",
  "Brand": "Visa",
  "EntryMode": "Swipe",
  "GMID": "1001395732",
  "GMPW": "123",
  "GTID": "GT1001395735",
  "GTRC": "f83cd5bb63a54f0abefd9f2bb4bd8312",
  "Medium": "Credit",
  "ResponseCode": "00",
  "ResponseText": "APPROVAL",
  "Status": "success"
}
```

5.6 Inquiry

5.6.1 Inquiry Request

```
{
  "GMID": "05",
  "GTID": "05",
  "GMPW": "123",
  "AllowsPartialAuth": "N",
  "TransType": "Inquiry",
  "IsOffline": "N",
  "SourceTraceNum": "000001",
  "NeedSwipCard": "Y"
}
```

5.6.2 Inquiry Response

```
{
  "AccountNum": "401200*****0016",
  "AuthAmt": "0",
  "AuthCode": "BALINQ",
  "EntryMode": "Swipe",
  "GMID": "1001396276",
  "GMPW": "123",
  "GTID": "GT1001396279",
  "GTRC": "85197eef8b654fb9bb09c8922848221f",
  "Medium": "Debit",
  "ResponseCode": "00",
  "ResponseText": "000000443322  ",
  "Status": "success"
}
```

5.7 Refund

5.7.1 Refund Request

```
{
  "GMID": "05",
  "GTID": "05",
  "GMPW": "123",
  "AllowsPartialAuth": "N",
  "MainAmt": "1000",
  "TransType": "Refund",
  "IsOffline": "N",
  "OrderNum": "000005",
  "SourceTraceNum": "000033",
  "NeedSwipCard": "Y"
}
```

5.7.2 Refund Response

```
{
  "AccountNum": "401200*****0016",
  "AuthAmt": "1000",
  "AuthCode": "273348",
  "Brand": "Visa",
  "EntryMode": "Swipe",
  "GMID": "1001395732",
  "GMPW": "123",
  "GTID": "GT1001395735",
  "GTRC": "3ee1df6b787c452aa5a96db0a50f0567",
  "Medium": "Credit",
  "ResponseCode": "0",
  "ResponseText": "Success",
  "Status": "success"
}
```

5.8 Finalize

5.8.1 Finalize Request

```
{
  "GMID": "05",
  "GTID": "GT1001395979",
  "GMPW": "03",
  "GTRC": "3087c11f59144d84995d681cfb838f77",
  "TransType": "Finalize"
}
```

5.8.2 Finalize Response

```
{
  "AccountNum": "478825*****8291",
  "AuthAmt": "0",
  "Brand": "Visa",
  "ErrorCode": "000",
  "ErrorText": "SUCCESS",
  "ExpDate": "1222",
  "GMID": "05",
  "GMPW": "03",
  "GTID": "GT1001395979",
  "GTRC": "3087c11f59144d84995d681cfb838f77",
  "Medium": "Credit",
  "ResponseCode": "00",
  "ResponseText": "SUCCESS",
  "Status": "success"
}
```

5.9 AddTip

5.9.1 AddTip Request

```
{
  "GMID": "05",
  "GTID": "GT1001395979",
  "GMPW": "03",
  "GTRC": "4205a50aef084913bc67e8a3dccda8641",
  "TransType": "AddTip",
  "TipAmt": "232"
}
```

5.9.2 AddTip Response

```
{
  "AccountNum": "478825*****8291",
  "AuthAmt": "1213",
  "Brand": "Visa",
  "ErrorCode": "000",
  "ErrorText": "SUCCESS",
  "ExpDate": "1222",
  "GMID": "05",
  "GMPW": "03",
  "GTID": "GT1001395979",
  "GTRC": "4205a50aef084913bc67e8a3dcda8641",
  "Medium": "Credit",
  "ResponseCode": "00",
  "ResponseText": "SUCCESS",
  "Status": "success"
}
```

5.10 Void

5.10.1 Void Request

```
{
  "GMID": "05",
  "GTID": "GT1001395979",
  "GMPW": "03",
  "GTRC": "27f12974e0f242aaaa73a7651c33d21f",
  "TransType": "Void"
}
```

5.10.2 Void Response

```
{
  "AccountNum": "478825*****8291",
  "AuthAmt": "0",
  "AuthCode": "TAS139",
  "Brand": "Visa",
  "ErrorCode": "000",
  "ErrorText": "APPROVAL TAS139 ",
  "ExpDate": "1222",
  "GMID": "05",
  "GMPW": "03",
  "GTID": "GT1001395979",
  "GTRC": "27f12974e0f242aaaa73a7651c33d21f",
  "Medium": "Credit",
  "ResponseCode": "00",
  "ResponseText": "APPROVAL TAS139 ",
  "Status": "success"
}
```

5.11 Modify

5.11.1 Modify Request

```
{
  "GMID": "05",
  "GTID": "GT1001395979",
  "GMPW": "03",
  "GTRC": "e11dde4de55542e9822df7951c6a5bd0",
  "TransType": "Modify",
  "MainAmt": "1501",
  "TipAmt": "232",
  "IncTaxAmt": "193"
}
```

5.11.2 Modify Response

```
{
  "AccountNum": "478825*****8291",
  "AuthAmt": "0",
  "Brand": "Visa",
  "ErrorCode": "000",
  "ErrorText": "SUCCESS",
  "ExpDate": "1222",
  "GMID": "05",
  "GMPW": "03",
  "GTID": "GT1001395979",
  "GTRC": "e11dde4de55542e9822df7951c6a5bd0",
  "Medium": "Credit",
  "ResponseCode": "00",
  "ResponseText": "SUCCESS",
  "Status": "success"
}
```

5.12 Batch

5.12.1 Batch Request

```
{
  "GMID": "05",
  "GTID": "GT1001395979",
  "GMPW": "03",
  "TransType": "Batch"
}
```

5.12.2 Batch Response

```
{
  "AuthAmt": "0",
  "ErrorCode": "0GB",
  "ErrorText": "TSYS:success\n",
  "GMID": "05",
  "GMPW": "03",
  "GTID": "GT1001395979",
  "ResponseCode": "GB",
  "ResponseText": "TSYS:success\n",
  "Status": "success"
}
```

5.13 Request Card Token

5.13.1 CardToken Request

```
{
  "GMID": "05",
  "GTID": "GT1001395979",
  "GMPW": "03",
  "TransType": "Sale",
  "Medium": "Credit",
  "AccountNum": "4788250000028291",
  "ExpDate": "1222",
  "MainAmt": "1001",
  "TipAmt": "212",
  "IncTaxAmt": "153",
  "EntryMode": "Manual",
  "RequestCardToken": "Y",
  "NeedSwipeCard": "N"
}
```

5.13.2 CardToken Response

```
{
  "AccountNum": "478825*****8291",
  "AuthAmt": "1213",
  "AuthCode": "TAS156",
  "Brand": "Visa",
  "CardToken": "f57ce96996f042488c38698fa0af3cb0",
  "ErrorCode": "000",
  "ErrorText": "APPROVAL TAS156 ",
  "ExpDate": "1222",
  "GMID": "05",
  "GMPW": "03",
  "GTID": "GT1001395979",
  "GTRC": "9010451d187e4ea1985ef59474713bb4",
  "Medium": "Credit",
  "ResponseCode": "00",
  "ResponseText": "APPROVAL TAS156 ",
  "Status": "success"
}
```

5.14 Update Card Token

5.14.1 Update CardToken Request


```
{
  "GMID": "05",
  "GTID": "05",
  "GMPW": "123",
  "TransType": "UpdateCardTokenInfo",
  "CardToken": "e814324e9d0d4ccabd3d0e8f142fc21c",
  "ExpDate": "1219",
  "CustomerAddress": "8320",
  "CustomerZipCode": "74254"
}
```

5.14.2 Update CardToken Response

```
{
  "EntryModel": "Unknow",
  "ErrorCode": "100",
  "ErrorText": "No Error",
  "Medium": "UnknowCard",
  "ResponseCode": "00",
  "ResponseText": "No Error",
  "Status": "success"
}
```

5.15 Delete Card Token

5.15.1 Delete CardToken Request

```
{
  "GMID": "05",
  "GTID": "05",
  "GMPW": "123",
  "TransType": "DeleteCardToken",
  "CardToken": "f2885df4d232403b8f47885da95b80ae"
}
```

5.15.2 Delete CardToken Response

```
{
  "EntryModel": "Unknow",
  "ErrorCode": "100",
  "ErrorText": "No Error",
  "Medium": "UnknowCard",
  "ResponseCode": "00",
  "ResponseText": "No Error",
  "Status": "success"
}
```

5.16 Create Card Token

5.16.1 Create CardToken Request

```
{
  "GMID": "05",
  "GTID": "05",
  "GMPW": "03",
  "TransType": "CreateCardToken",
  "Medium": "Credit",
  "AccountNum": "4012000098765439",
  "ExpDate": "1220",
  "CustomerZipCode": "85284",
  "CustomerAddress": "8320",
  "NeedSwipeCard": "N"
}
```

5.16.2 Create CardToken Response

```
{
  "AccountNum": "401200*****5439",
  "AuthAmt": "0",
  "AuthCode": "PREATH",
  "Brand": "Visa",
  "CardToken": "51904a0c96c14887a4044170229ee5c3",
  "ErrorCode": "085",
  "ErrorText": "EXACT MATCH  ",
  "ExpDate": "1220",
  "GMID": "05",
  "GMPW": "03",
  "GTID": "GT1001395979",
  "GTRC": "5238624e07424e1e86f3291ec4bf9958",
  "Medium": "Credit",
  "ResponseCode": "85",
  "ResponseText": "EXACT MATCH  ",
  "Status": "success"
}
```

5.17 Verify

5.17.1 Verify Request

```
{
  "GMID": "05",
  "GTID": "05",
  "GMPW": "03",
  "TransType": "Verify",
  "Medium": "Credit",
  "AccountNum": "4012000098765439",
  "ExpDate": "1220",
  "CVVNum": "999",
  "CustomerAddress": "8320",
  "CustomerZipCode": "85284",
  "EntryMode": "Manual",
  "NeedSwipeCard": "N"
}
```

5.17.2 Verify Response

```
{
  "AccountNum": "401200*****5439",
  "AuthAmt": "0",
  "AuthCode": "PREATH",
  "Brand": "Visa",
  "ErrorCode": "085",
  "ErrorText": "EXACT MATCH  ",
  "ExpDate": "1220",
  "GMID": "05",
  "GMPW": "03",
  "GTID": "GT1001395979",
  "GTRC": "93b246020b96460c8af0efa0eb0021da",
  "Medium": "Credit",
  "ResponseCode": "85",
  "ResponseText": "EXACT MATCH  ",
  "Status": "success"
}
```

5.18 Register

If the serial number has been registered by other GMID/GTID, it will return error.

5.18.1 Register Request with GTID

```
{
  "GMID": "05",
  "GTID": "05",
  "GMPW": "123",
  "TransType": "Register"
  "SN": "15297PP12345678"
}
```

5.18.2 Register Response with GTID

```
{
  "ErrorCode": "100",
  "ErrorText": "No Error",
  "GMID": "05",
  "GMPW": "123",
  "GTID": "05",
  "ResponseCode": "00",
  "ResponseText": "No Error",
  "SN": "12345678",
  "Status": "success",
  "TransType": "Register"
}
```

1. If the serial number has been registered by another GMID, it will return an error.
2. If the serial number has been registered by a GTID corresponding to this GMID, it will return the corresponding GTID.

5.18.3 Register Request without GTID

```
{
  "GMID": "05",
  "GMPW": "123",
  "TransType": "Register"
  "SN": "15297PP12345678"
}
```

5.18.4 Register Response without GTID

```
{
  "ErrorCode": "100",
  "ErrorText": "No Error",
  "GMID": "05",
  "GMPW": "123",
  "GTID": "05",
  "ResponseCode": "00",
  "ResponseText": "No Error",
  "SN": "12345678",
  "Status": "success",
  "TransType": "Register"
}
```

5.19 Offline-Register

5.19.1 Offline-Register Request

```
{  
  "GMID": "05",  
  "GTID": "05",  
  "GMPW": "123",  
  "TransType": "Register",  
  "IsOffline": "Y",  
  "SN": "15297PP12345678"  
}
```

5.19.2 Offline-Register Response

```
{  
  "ErrorCode": "100",  
  "ErrorText": "No Error",  
  "GMID": "05",  
  "GMPW": "123",  
  "GTID": "05",  
  "ResponseCode": "00",  
  "ResponseText": "No Error",  
  "SN": "12345678",  
  "Status": "success",  
  "TransType": "Register"  
}
```

5.20 Unregister

5.20.1 Unregister Request

```
{  
  "GMID": "05",  
  "GTID": "05",  
  "GMPW": "03",  
  "SN": "12345678",  
  "TransType": "Unregister"  
}
```

5.20.2 Unregister Response

```
{
  "ErrorCode": "100",
  "ErrorText": "No Error",
  "GMID": "05",
  "GMPW": "03",
  "GTID": "05",
  "ResponseCode": "00",
  "ResponseText": "No Error",
  "SN": "12345678",
  "Status": "success"
}
```

5.21 GetStatus

5.21.1 GetStatus Request

```
{
  "GMID": "05",
  "GTID": "05",
  "GMPW": "123",
  "TransType": "GetStatus"
}
```

5.21.2 GetStatus Response

```
{
  "DeviceStatus": "ON",
  "ErrorCode": "100",
  "ErrorText": "No Error",
  "GMID": "05",
  "GMPW": "123",
  "GTID": "05",
  "ResponseCode": "00",
  "ResponseText": "No Error",
  "SN": "12345678",
  "Status": "success",
  "TransType": "GetStatus"
}
```

5.22 AskNumberQuestion

5.22.1 AskNumberQuestion Request

```
{
  "GMID": "05",
  "GTID": "05",
  "GMPW": "03",
  "MessageIndex": "010",
  "TransType": "AskNumberQuestion",
  "NeedSwipeCard": "Y"
}
```

5.22.2 AskNumberQuestion Response

```
{
  "ErrorCode": "100",
  "ErrorText": "5454545454545454",
  "GMID": "05",
  "GMPW": "03",
  "GTID": "05",
  "ResponseCode": "00",
  "ResponseText": "5454",
  "Status": "success"
}
```

5.23 AskSelectionQuestion

5.23.1 AskSelectionQuestion Request

```
{
  "GMID": "05",
  "GTID": "05",
  "GMPW": "03",
  "MessageText": "Are you sure?",
  "TransType": "AskSelectionQuestion",
  "NeedSwipeCard": "Y"
}
```

5.23.2 AskSelectionQuestion Response


```
{
  "ErrorCode": "100",
  "ErrorText": "Y",
  "GMID": "05",
  "GMPW": "03",
  "GTID": "05",
  "ResponseCode": "00",
  "ResponseText": "Y",
  "Status": "success"
}
```

5.24 ShowMessage

5.24.1 ShowMessage Request

```
{
  "GMID": "05",
  "GTID": "05",
  "GMPW": "03",
  "MessageText": "Happy Birthday!",
  "TransType": "ShowMessage",
  "NeedSwipeCard": "Y"
}
```

5.24.2 ShowMessage Response

```
{
  "ErrorCode": "100",
  "ErrorText": "Complete",
  "GMID": "05",
  "GMPW": "03",
  "GTID": "05",
  "ResponseCode": "00",
  "ResponseText": "Complete",
  "Status": "success"
}
```

5.25 Reverse

5.25.1 Reverse Request

```
{
  "GMID": "05",
  "GTID": "05",
  "GMPW": "03",
  "GTRC": "27f12974e0f242aaaa73a7651c33d21f",
  "TransType": "Reverse"
}
```

5.25.2 Reverse Response

```
{
  "AccountNum": "478825*****8291",
  "AuthAmt": "5001",
  "AuthCode": "273348",
  "Brand": "Visa",
  "ErrorCode": "000",
  "ErrorText": "SUCCESS",
  "ExpDate": "1222",
  "GMID": "05",
  "GMPW": "03",
  "GTID": "05",
  "GTRC": "57b331fb6ebb4a859c49c8e919ee7858",
  "Medium": "Credit",
  "ResponseCode": "00",
  "ResponseText": "SUCCESS",
  "Status": "success"
}
```

5.26 UploadImage

5.26.1 UploadImage Request

```
{
  "GMID": "05",
  "GTID": "05",
  "GMPW": "03",
  "TransType": "UploadImage",
  "ImageID": "001",
  "NeedSwipeCard": "Y",
  "ImageData": "ABC",
  "ImageLength": "3"
}
```

5.26.2 UploadImage Response

```
{
  "ErrorCode": "100",
  "ErrorText": "Complete",
  "GMID": "05",
  "GMPW": "03",
  "GTID": "05",
  "ResponseCode": "00",
  "ResponseText": "Complete",
  "Status": "success"
}
```

5.27 SetImageList

5.27.1 SetImageList Request

```
{
  "GMID": "05",
  "GTID": "05",
  "GMPW": "03",
  "TransType": "SetImageList",
  "ImageList": "001, 002,003,004,005,006,007,008,009,010,011,012,013",
  "NeedSwipeCard": "Y"
}
```

5.27.2 SetImageList Response

```
{
  "ErrorCode": "100",
  "ErrorText": "Complete",
  "GMID": "05",
  "GMPW": "03",
  "GTID": "05",
  "ResponseCode": "00",
  "ResponseText": "Complete",
  "Status": "success"
}
```

5.28 UploadMessage

5.28.1 UploadMessage Request

```
{
  "GMID": "05",
  "GTID": "05",
  "GMPW": "03",
  "MessageText": "Happy Birthday!!!",
  "MessageIndex": "1001",
  "TransType": "UploadMessage"
}
```

5.28.2 UploadMessage Response

```
{
  "ErrorCode": "100",
  "ErrorText": "Complete",
  "GMID": "05",
  "GMPW": "03",
  "GTID": "05",
  "ResponseCode": "00",
  "ResponseText": "Complete",
  "Status": "success"
}
```

5.29 ResetMessage

5.29.1 ResetMessage Request

```
{
  "GMID": "05",
  "GTID": "05",
  "GMPW": "03",
  "TransType": "ResetMessage"
}
```

5.29.2 ResetMessage Response

```
{
  "ErrorCode": "100",
  "ErrorText": "Complete",
  "GMID": "05",
  "GMPW": "03",
  "GTID": "05",
  "ResponseCode": "00",
  "ResponseText": "Complete",
  "Status": "success"
}
```

5.30 RebootDevice

5.30.1 RebootDevice Request

```
{
  "GMID": "05",
  "GTID": "05",
  "GMPW": "03",
  "TransType": "RebootDevice"
}
```

5.30.2 RebootDevice Response

```
{
  "ErrorCode": "100",
  "ErrorText": "Complete",
  "GMID": "05",
  "GMPW": "03",
  "GTID": "05",
  "ResponseCode": "00",
  "ResponseText": "Complete",
  "Status": "success"
}
```

5.31 Adjust

5.31.1 Adjust Request

```
{
  "GMID": "05",
  "GTID": "05",
  "GMPW": "03",
  "GTRC": "570c438f242d4a49aec25d679574eb24",
  "TransType": "Adjust",
  "MainAmt": "6736",
  "RequestCardToken": "Y"
}
```

5.31.2 Adjust Response

```
{
  "AccountNum": "478825*****8291",
  "AuthAmt": "1735",
  "AuthCode": "TAS021",
  "Brand": "Visa",
  "ErrorCode": "000",
  "ErrorText": "APPROVAL TAS021 ",
  "ExpDate": "0222",
  "GMID": "05",
  "GMPW": "03",
  "GTID": "05",
  "GTRC": "410e7dd378aa4abd89c80fc5f2b4a58f",
  "Medium": "Credit",
  "ResponseCode": "00",
  "ResponseText": "APPROVAL TAS021 ",
  "Status": "success"
}
```

5.32 Cancel

5.32.1 Cancel Request

```
{
  "GMID": "05",
  "GTID": "05",
  "InvoiceNum": "ABCD",
  "MainAmt": "1200",
  "TransType": "Cancel"
}
```

5.32.2 Cancel Response

```
{
  "1000": "000000000393861",
  "AVSResultCode": "0",
  "AccountNum": "478825*****8291",
  "AuthAmt": "5213",
  "AuthCode": "TAS908",
  "Brand": "Visa",
  "CardToken": "43b9daa1279148b593a011ae4e396dd9",
  "EntryMode": "Manual",
  "ErrorCode": "000",
  "ErrorText": "APPROVAL TAS908 ",
  "ExpDate": "1222",
  "GTRC": "85903d7caf764f48a87e6d9a11ec2ae2",
  "Medium": "Credit",
  "NewGTRC": "27475b3375704574a6365f697a4186b2",
  "ResponseCode": "00",
  "ResponseText": "APPROVAL TAS908 ",
  "Status": "success"
}
```

5.33 Sale with EMV Data

5.33.1 Sale Request


```

{
  "EMV4F": "A0000000041010",
  "EMV50": "4d415354455243415244",
  "EMV57": "5413330089020045D2512201019460027F",
  "EMV5A": "5413330089020045",
  "EMV5F20": "4d54495030382d32204d434420313341",
  "EMV5F24": "251231",
  "EMV5F28": "0124",
  "EMV5F2A": "0840",
  "EMV5F2D": "656e64656672",
  "EMV5F30": "0201",
  "EMV5F34": "03",
  "EMV82": "5800",
  "EMV84": "A0000000041010",
  "EMV8A": "5931",
  "EMV8E": "000000000000000410342031E031F00",
  "EMV95": "0200000000",
  "EMV9A": "180308",
  "EMV9B": "E800",
  "EMV9C": "00",
  "EMV9F02": "00000000100",
  "EMV9F03": "000000000000",
  "EMV9F06": "A0000000041010",
  "EMV9F07": "FF00",
  "EMV9F08": "0002",
  "EMV9F09": "0002",
  "EMV9F0D": "FC50A00000",
  "EMV9F0E": "0000000000",
  "EMV9F0F": "F870A49800",
  "EMV9F10": "0210A00000000000DAC0000000000000FF",
  "EMV9F11": "01",
  "EMV9F12": "4D617374657243617264",
  "EMV9F17": "02",
  "EMV9F1A": "0840",
  "EMV9F1B": "00002710",
  "EMV9F1E": "5054303131333731",
  "EMV9F20": "019460027F",
  "EMV9F21": "040928",
  "EMV9F26": "069BE98E8C0AFC69",
  "EMV9F27": "40",
  "EMV9F33": "E0F8C8",
  "EMV9F34": "410302",
  "EMV9F35": "22",
  "EMV9F36": "0001",
  "EMV9F37": "94D5D64A",
  "EMV9F39": "05",
  "EMV9F40": "F800F0A001",
  "EMV9F41": "00000017",
  "EMV9F42": "0124",
  "EMV9F53": "52",
  "EMVDF03": "FC50A8A000",
  "EMVDF04": "0000000000",
  "EMVDF05": "FC50A8F800",
  "EntryModel": "ChipContact",
  "GMID": "1001395976",
  "GMPW": "TSYS03",
  "GTID": "GT1001395979",
  "MainAmt": "100",
  "Medium": "Credit",
  "Track2": "5413330089020045=2512201019460027",
  "TransType": "Sale",
  "NeedSwipeCard": "N"
}

```

5.33.2 Sale Response

```
{
  "1000": "1212MCC111470 ",
  "AVSResultCode": "0",
  "AccountNum": "541333*****0045",
  "AuthAmt": "100",
  "AuthCode": "VTLMC1",
  "Brand": "Master",
  "AID": "069BE98E8C0AFC69",
  "ARQC": "069BE98E8C0AFC69",
  "TSI": "E800",
  "ATC": "0001",
  "ApplicationLabel": "MASTERCARD",
  "EMV1004": "1",
  "EMV72": "9F18040001860580CA9F3600",
  "EMV8A": "00",
  "EMV91": "0102030405060708",
  "EntryMode": "ChipContact",
  "ErrorCode": "000",
  "ErrorText": "APPROVAL VTLMC1 ",
  "ExpDate": "1225",
  "GTRC": "4fd839ff70494ea9bc9b5b001b368116",
  "Medium": "Credit",
}
```

5.34 BatchLookup

5.34.1 BatchLookup Request

```
{
  "TransType": "BatchLookup",
  "GMID": "05",
  "BatchDate": "20180521"
}
```

5.34.2 BatchLookup Response

```
{
  "GMID": "05",
  "BatchIDList": "95dc62ed861041478a02adba250bcb69",
  "Status": "success",
  "ResponseCode": "00",
  "ResponseText": "success",
  "ErrorCode": "000",
  "ErrorText": "success",
  "xMsg_DstUName": "PgcSvcBch",
  "xMsg_DstTrcNum": "151278",
  "xMsg_Action": "xMsgAct_Reply"
}
```

5.35 BatchQuery

5.35.1 BatchQuery Request

```
{
  "GMID": "05",
  "GTID": "05",
  "TransType": "BatchQuery",
  "BatchID": "59c70d89bbf44d51b0c09609734afab1",
  "StartIndex": "0",
  "ResponseLimit": "2"
}
```

5.35.2 BatchQuery Response

```

{
  "GMID": "05",
  "GTID": "05",
  "BatchID": "59c70d89bbf44d51b0c09609734afab1",
  "TransactionList": [{
    "GTRC": "d7fe714cd7944ed0a764242be43af4f6",
    "TransactionNum": "1212MCC111992 ",
    "Brand": "Master",
    "Medium": "Credit",
    "AccountNum": "545454*****5454",
    "ExpDate": "**/**",
    "TransType": "Sale",
    "AuthCode": "VTLMC1",
    "AuthTS": "1526904912",
    "FinalizeTS": "1526904912",
    "IncTaxAmt": "0",
    "IncCashBackAmt": "0",
    "TipAmt": "0",
    "AuthAmt": "100",
    "TotalAmt": "100",
    "MainAmt": "100",
    "BaseAmt": "100"
  }, {
    "GTRC": "7c59ca4a57a74d7ebf059ab4e8fd6e8e",
    "TransactionNum": "1212MCC111993 ",
    "Brand": "Master",
    "Medium": "Credit",
    "AccountNum": "545454*****5454",
    "ExpDate": "**/**",
    "TransType": "Sale",
    "AuthCode": "VTLMC1",
    "AuthTS": "1526904918",
    "FinalizeTS": "1526904918",
    "IncTaxAmt": "0",
    "IncCashBackAmt": "0",
    "TipAmt": "0",
    "AuthAmt": "100",
    "TotalAmt": "100",
    "MainAmt": "100",
    "BaseAmt": "100"
  }
  ],
  "MoreTransactions": "N",
  "StartIndex": "0",
  "EndIndex": "1",
  "Status": "success",
  "ResponseCode": "00",
  "ResponseText": "success",
  "ErrorCode": "000",
  "ErrorText": "success",
  "xMsg_DstUName": "PgcSvcBch",
  "xMsg_DstTrcNum": "151285",
  "xMsg_Action": "xMsgAct_Reply"
}

```

5.36 ACH-Echeck

5.36.1 ACH-Echeck Request

```
{  
  "TransType": "Sale",  
  "Medium": "ElectronicCheck",  
  "EntryModel": "Manual",  
  "EleCheckServiceProvider": "ElecCheckWEB",  
  "EleCheckTransactionType": "EleCheckConversion",  
  "NeedSwipCard": "N",  
  "GMID": "1001396464",  
  "GTID": "GT1001396467",  
  "GMPW": "GMPW1001396467",  
  "MainAmt": "2500",  
  "EleCheckRoutingNumber": "102000021",  
  "EleCheckAccountNumber": "125401754499"  
}
```

5.36.2 ACH-Echeck Response

```
{
  "AccountNum":"T10200*****4990",
  "AuthAmt":"2500",
  "AuthCode":"297583",
  "AuthDate":"051818",
  "AuthTime":"044921",
  "EntryMode":"Manual",
  "ErrorCode":"000",
  "ErrorText":"APPROVAL",
  "GTRC":"25c638f8e8e944b082c06f2f7b00689d",
  "Medium":"ElectronicCheck",
  "NewGTRC":"25c638f8e8e944b082c06f2f7b00689d",
  "ResponseCode":"00",
  "ResponseText":"APPROVAL",
  "Status":"success"
}
```

5.37 Pinpad input tip amount

5.37.1 Request without flag "TipAmountRate"

The default percentage is "15,18,20"

```
{
  "GMID": "2001008164",
  "GTID": "GT3010023921",
  "GMPW": "GMPW3010026189",
  "TransType": "Sale",
  "Medium": "Credit",
  "NeedSwipCard": "Y",
  "RequestTipAmount": "Y",
  "MainAmt": "1500"
}
```

F1, F2, F3 buttons on the pin pad are mapped to 15%, 18%, 20%, and F4 button is set to “other” for custom amount input.

5.37.2 Response


In the response, the parameter “TipAmt” is the tip value

```
{
  "AccountNum": "401200*****7777",
  "AuthAmt": "1650",
  "AuthCode": "50852A",
  "AuthDate": "20181213",
  "AuthTime": "004452",
  "Brand": "Visa",
  "EMV8A": "00",
  "EntryMode": "Swipe",
  "ErrorCode": "000",
  "ErrorText": "APPROVAL",
  "ExpDate": "0416",
  "GMID": "2001008164",
  "GMPW": "GMPW3010026189",
  "GTID": "GT3010023921",
  "GTRC": "a451448d724c4f2ab58e3b4dd40ba9cb",
  "Medium": "Credit",
  "NewRecordCreated": "Y",
  "ResponseCode": "00",
  "ResponseText": "APPROVAL",
  "ResultCode": "000",
  "ResultText": "APPROVAL",
  "Status": "success",
  "TipAmt": "150"
}
```

5.37.3 Request with flag “TipAmountRate”

It sets the value according to your requirements


```
{
  "GMID": "2001008164",
  "GTID": "GT3010023921",
  "GMPW": "GMPW3010026189",
  "TransType": "Sale",
  "Medium": "Credit",
  "NeedSwipCard": "Y",
  "RequestTipAmount": "Y",
  "MainAmt": "1500",
  "TipAmountRate": "12,13,14"
}
```



F1, F2, F3 buttons on the pin pad are mapped to 12%, 13%, 14%, and the F4 button is set to “other” for custom amount input.

5.37.4 Response

In the response, the parameter “TipAmt” is the tip value

```
{
  "AccountNum": "401200*****7777",
  "AuthAmt": "1680",
  "AuthCode": "50862A",
  "AuthDate": "20181213",
  "AuthTime": "011224",
  "Brand": "Visa",
  "EMV8A": "00",
  "EntryMode": "Swipe",
  "ErrorCode": "000",
  "ErrorText": "APPROVAL",
  "ExpDate": "0416",
  "GMID": "2001008164",
  "GMPW": "GMPW3010026189",
  "GTID": "GT3010023921",
  "GTRC": "f6be2fcd22294183b62c35e87926ae91",
  "Medium": "Credit",
  "NewRecordCreated": "Y",
  "ResponseCode": "00",
  "ResponseText": "APPROVAL",
  "ResultCode": "000",
  "ResultText": "APPROVAL",
  "Status": "success",
  "TipAmt": "180"
}
```

5.38 UploadFile

5.38.1 Request

```
{
  "GMID": "1001396464",
  "GTID": "GT1001396467",
  "GMPW": "GMPW1001396467",
  "TransType": "UploadFile",
  "FileName": "CUSTPROMPT.PGZ"
}
```

5.38.2 Response

```
{
  "AuthDate": "20181130",
  "AuthTime": "003216",
  "ErrorCode": "100",
  "ErrorText": "Complete",
  "GMID": "2001009618",
  "GMPW": "GMPW3010027633",
  "GTID": "GT3010024697",
  "ResponseCode": "00",
  "ResponseText": "Complete",
  "SignatureData": "",
  "Status": "success"
}
```

5.39 Receipt Request

5.39.1 MSR Receipt

5.39.1.1 Request

```
{
  "GMID": "1001396357",
  "GTID": "GT1001396681",
  "GMPW": "TSYS03",
  "TransType": "Sale",
  "Medium": "Credit",
  "NeedSwipeCard": "Y",
}
```

```
"EntryMode":"Swipe",
"NeedReceipt":"Y",
"MainAmt":"100"
}
```

5.39.1.2 Response

```
{
  "AccountNum": "476173*****0010",
  "AuthAmt": "100",
  "AuthCode": "TAS403",
  "AuthDate": "20181213",
  "AuthTime": "005430",
  "Brand": "Visa",
  "DeviceResultCode": "100",
  "DeviceResultText": "Successful",
  "EntryMode": "Swipe",
  "ErrorCode": "000",
  "ErrorText": "APPROVAL TAS534 ",
  "ExpDate": "1225",
  "GMID": "1001396357",
  "GMPW": "TSYS03",
  "GTID": "GT1001396681",
  "GTRC": "92e38f0c868e45778f2b96944a9c53ca",
  "Medium": "Credit",
  "NewGTRC": "92e38f0c868e45778f2b96944a9c53ca",
  "NewRecordCreated": "Y",
  "ResponseCode": "00",
  "ResponseText": "APPROVAL TAS403 ",
  "ResultCode": "000",
  "ResultText": "APPROVAL TAS403 ",
  "Status": "success",
  "TipAmt": "0",
  "TransactionIdentifier": "000000001363442",
}
```

5.39.1.3 Receipt

TSYS Internal

1111, Phoenix, AZ 85008
928-203-2000

GTRC: 92e38f0c868e45778f2b96944a9c53ca
TransID: 000000001194300
Date: 12/13/2018
Time: 00:54:30
CardNum: 476173*****0010
CardType: Credit
BrandType: Visa
TransType: Sale
EntryMode: EMVFallback2Swip
AuthCode: TAS403
AuthAmount: \$1.00

Approval

I agree to pay above total amount according to card issuer agreement.

SIGNATURE

5.39.2.1 Request

```
{
  "GMID": "1001396357",
  "GTID": "GT1001396710",
  "GMPW": "TSYS03",
  "TransType": "Sale",
  "Medium": "Credit",
  "NeedSwipeCard": "Y",
  "EntryMode": "Swipe",
  "NeedReceipt": "Y",
  "MainAmt": "100"
}
```

5.39.2.2 Response

```
{
  "AID": "A000002771010",
  "ARQC": "388E59D0E7F0C9952",
  "ATC": "0003",
  "AccountNum": "476173*****0010",
  "ApplicationLabel": "Interac",
  "AuthAmt": "100",
  "AuthCode": "TAS398",
  "AuthDate": "20181213",
  "AuthTime": "005354",
  "Brand": "Visa",
  "DeviceResultCode": "100",
  "DeviceResultText": "Successful ",
  "EMV72": "9F180400010203860580CA9F3600",
  "EMV8A": "00",
  "EMV91": "01020304050607080000",
  "EntryMode": "ChipContact",
  "ErrorCode": "000",
  "ErrorText": "APPROVAL TAS398 ",
  "ExpDate": "1215",
  "GMID": "1001396357",
  "GMPW": "TSYS03",
  "GTID": "GT1001396710",
  "GTRC": "e6037259b77a482fafc7052356c05b",
}
```

```
"Medium": "Credit",
"NewRecordCreated": "Y",
"ResponseCode": "00",
"ResponseText": "APPROVAL TAS398 ",
"ResultCode": "000",
"ResultText": "APPROVAL TAS398 ",
"Status": "success",
"TSI": "6800",
"TipAmt": "0",
"TransactionIdentifier": "000000001194293"
}
```

5.39.2.3 Receipt

TSYS Internal

1111, Phoenix, AZ 85008

928-203-2000

GTRC: e6037259b77a482dafc7052356c05b00
TransID: 000000001194293
Date: 12/13/2018
Time: 00:53:54
CardNum: 476173*****0010
CardType: Credit
BrandType: Visa
TransType: Sale
AppName: Interac
AID: A0000002771010
ATC: 0003
ARQC: 388E59DE7F0C9952
TSI: 6800
EntryMode: ChipContact
AuthCode: TAS398
AuthAmount: \$1.00

Approval

I agree to pay above total amount according to card issuer agreement.

VERIFIED BY PIN, NO SIGNATURE REQUIRED

6. IOS SDK

6.1 initWithDelegate

Parameter	Type	Description
delegate	IPDCManagerNotify	The address of the delegate object that responds to the IPDCManagerNotify protocol

6.2 postTransactionToUrl

Parameter	Type	Description
url	String	URL which transaction send to, currently only supports the https protocol
request	String	Transaction request, JSON format
withTimeout	Integer	Transaction timeout. Unit: second, usually set it as 120

6.3 setProperties

Parameter	Type	Description										
properties	NSDictionary*	<table border="1"> <thead> <tr> <th colspan="2">Keys</th> </tr> </thead> <tbody> <tr> <td>enableRushMode</td> <td>Default value is false</td> </tr> <tr> <td>uploadUrl</td> <td>URL which transaction send to. Default value is null.</td> </tr> <tr> <td>checkInterval</td> <td>Time interval that check if uploadUrl is online. Unit: second. Default value is 60</td> </tr> <tr> <td>failedThreshold</td> <td>Maximum number of consecutive failed transactions. Default value is 3</td> </tr> </tbody> </table> <p>When failedThreshold reaches the maximum value, and enableRushMode is true, SDK will enter rush mode.</p>	Keys		enableRushMode	Default value is false	uploadUrl	URL which transaction send to. Default value is null.	checkInterval	Time interval that check if uploadUrl is online. Unit: second. Default value is 60	failedThreshold	Maximum number of consecutive failed transactions. Default value is 3
Keys												
enableRushMode	Default value is false											
uploadUrl	URL which transaction send to. Default value is null.											
checkInterval	Time interval that check if uploadUrl is online. Unit: second. Default value is 60											
failedThreshold	Maximum number of consecutive failed transactions. Default value is 3											

7. Appendices

7.1 Cloud9 server

Test Server Configuration		
Multiplexer	testlink.c9pg.com:12000	For pin pad connections
Cloud PDC	https://testlink.c9pg.com:11911/EMV	For CloudPDC transaction requests. It supports EMV transactions on pin pads.
	https://testlink.c9pg.com:11911/QuickChip	For CloudPDC transaction requests. It supports QuickChip EMV transactions on pin pads
REST API	https://testlink.c9pg.com:11911/restApi	For back-end transaction requests. It is used when the account number is already obtained by the POS, or tokenized in Cloud9.
Production Server Configuration		

Multiplexer	link.c9pg.com:12000	For pin pad connections
Cloud PDC	https://link.c9pg.com:11911/EMV	For CloudPDC transaction requests. It supports EMV transactions on pin pads.
	https://link.c9pg.com:11911/QuickChip	For CloudPDC transaction requests. It supports QuickChip EMV transactions on pin pads
REST API	https://link.c9pg.com:11911/restApi	For back-end transaction requests. It is used when the account number is already obtained by the POS, or tokenized in Cloud9.

7.2 Status Code

success	Transaction successful
fail	Transaction failed
cancel	Transaction canceled
timeout	Transaction timed out. Please re-try later
invalidData	The packet is corrupted

7.3 Error Code

100	No Error
101	Invalid GMID
102	Invalid GTID
103	Invalid GMPW
104	Invalid GTRC
105	Invalid Card Token
106	Invalid Database
107	Processor does not support the card type
108	Processor module not loaded
109	Invalid amount
110	Void amount exceeds original authorized amount
111	Offline transaction can only be used for Credit Card Sale / EBT Food Stamp Sale
112	Credit / EBT Food Stamp card with cashback is not allowed
113	Addtip must be based on Auth/Sale transactions
114	Finalize must be based on Auth transactions
115	Original transaction has already been voided
116	Offline transaction must supply AuthCode
117	Engine process timed out
118	Proxy process timed out
119	PDC process timed out
120	Processor process timed out
128	EntryMode empty
133	Card number invalid
134	Card date expired
137	AVS Verification Failed.
138	CVV Verification Failed.
139	ZIP Verification Failed.
140	Missing PIN.
141	Missing KSN
142	Card data is incomplete
143	EntryMode not supported by this card type

144	EntryMode not supported by this transaction type
145	Store&Forward mode not supported by this transaction type
146	Duplicate transaction.
149	PinPad busy. Please wait for the current transaction to finish and try again.
150	Failed to connect to pin pad. Check cable/configuration
151	User/Operator canceled
152	Pin Pad Timeout
154	Failed to read card data. Timed out or user canceled.
156	PinPad invalid serial number. Provide error SN in Unregister.
157	Pin pad serial number registration failed. Internal error: failed to generate an unique GTID. Try again.
158	Pin pad serial number registration failed, Pin pad already registered with another GMID/GTID.
162	No Terminal Serial Number registered for TID.
175	Invalid Message Index
176	Invalid Message Length
177	Invalid Image ID
178	Invalid Image Data
179	The type of terminal not support this function
181	Invalid Transaction. Reverse refund transaction has been settled.
182	Invalid InvoiceNum. InvoiceNum is empty or not supplied in Cancel request.
202	No record found. Can't find the duplicate transaction record
203	Multiple records found. Found multiple transactions have the same information when doing Cancel.(TotalAmt, InvoiceNum)
999	Undefined error
0NB	No Finalized Transactions to Batch
0GB	Good Batch
0DB	Duplicate Batch
0RB	Rejected Batch
000	Approved and completed
001	Refer to issuer
002	Refer to issuer-Special condition
003	Invalid Merchant ID
004	Pick up card (no fraud)
005	Do not honor
006	General error
007	Pick up card, special condition (fraud account)
008	Honor Mastercard with ID
010	Partial approval for the authorized amount returned in Group III version 022
011	VIP approval
012	Invalid transaction
013	Invalid amount
014	Invalid card number
015	No such issuer
019	Re-enter transaction
021	Unable to back out transaction
028	File is temporarily unavailable
034	Mastercard use only, Transaction Cancelled; Fraud Concern (Used in reversal requests only)
039	No credit account
041	Lost card, pick up (fraud account)

043	Stolen card, pick up (fraud account)
051	Insufficient funds
052	No checking account
053	No savings account
054	Expired card
055	Incorrect PIN
057	Transaction not permitted-Card
058	Transaction not permitted-Terminal
059	Transaction not permitted-Merchant
061	Exceeds withdrawal limit
062	Invalid service code, restricted
063	Security violation
065	Activity limit exceeded
075	PIN tried exceeded
076	Unable to locate, no match
077	Inconsistent data, reversed, or already performed
078	No account
079	Already reversed at switch
080	No Financial impact (used in reversal responses to declined originals).
081	Cryptographic error
082	CVV data is not correct
083	Cannot verify PIN
085	No reason to decline
086	Cannot verify PIN
091	Issuer or switch is unavailable
092	Destination not found
093	Violation, cannot complete
094	Unable to locate, no match
096	System malfunction
0A1	POS device authentication successful
0A2	POS device authentication not successful
0A3	POS device deactivation successful
0B1	Surcharge amount not permitted on debit cards or EBT food stamps
0B2	Surcharge amount not supported by debit network issuer
0CV	Card Type Verification Error
0D3	Transaction failure due to missing or invalid 3D-Secure cryptogram
0E1	Encryption is not configured
0E2	Terminal is not authenticated
0E3	Data could not be decrypted
0EA	Verification error
0EB	Verification error
0EC	Verification error
0HV	Hierarchy Verification Error
0K0	Token request was processed
0K1	Tokenization is not configured
0K2	Terminal is not authenticated
0K3	Data could not be de-tokenized
0M0	Mastercard: Canada region-issued Domestic Debit Transaction not allowed
0N3	Cash back service not available
0N4	Exceeds issuer withdrawal limit
0N7	CVV2 Value supplied is invalid

OR0	Customer requested stop of specific recurring payment
OR1	Customer requested stop of all recurring payments from specific merchant
OT0	First check is OK and has been converted
OT1	Check is OK but cannot be converted This is a declined transaction
OT2	Invalid ABA number, not an ACH participant
OT3	Amount greater than the limit
OT4	Unpaid items, failed negative file check
OT5	Duplicate check number
OT6	MICR error
OT7	Too many checks (over merchant or bank limit)
OV1	Daily threshold exceeded

7.4 Device Code

100	Successful
101	Successful - printer paper low (not implemented on iWL250)
102	Paper jam. Please take out the paper roll and re-insert it.
103	Paper out. Please change the paper roll.
104	Printer error. Please check the printer and try again.
105	Request error (Continue or Finish message received without a Start). Please try again.
106	Not supported by device
107	Format receipt error. Please report this to software vendor.
108	Receipt not requested. The PrintReceipt flag is not set to Y in Auth request.
109	Reserved
110	Reserved
111	Reserved
112	Reserved
113	Reserved
114	Reserved
115	Reserved
116	Invalid GTRC
117	Not supported by transaction type
118	Failed to connect to pin pad. Please check connection and try again.
119	Unknown exception

7.5 Signature (Only supported in Local PDC)

- a) Configuration
Configuration File: C9PG\PDC\conf\com.jjiesoft.gateway.pinpadNameList.ini
[DeviceSupportELECSignature]
iPP320=false
iSC250=true
- b) Signature Path
C9PG\PDC\signature
- c) Signature Name
TimeStamp_GTRC.sig
- d) Signature Format
Hex ASCII with 3-Byte ASCII Signature Format. (Refer to [DIV350779-Telium-Retail-Base-Application-RBA-Developers-Guide-Rev-16.pdf](#), Page 856)

7.6 Glossary

EBT	Electronic Benefits Transfer
PIN	Personal Identification Number
POS	Point-Of-Sale
SDK	Software Development Kit
XML	Extensible Markup Language
SOAP	Simple Object Access Protocol
JSON	JavaScript Object Notation